



Clin Podiatr Med Surg  
19 (2002) 541–573

---

---

CLINICS IN  
PODIATRIC  
MEDICINE AND  
SURGERY

---

---

## Cumulative Index

### Volume 19

---

January	UPDATES IN INTERNAL MEDICINE, pages 1–194
April	SOFT TISSUE DISORDERS OF THE ANKLE, PART I, pages 195–344
July	SOFT TISSUE DISORDERS OF THE ANKLE, PART II, pages 345–466
October	CURRENT THERAPY IN PODIATRIC MEDICINE AND SURGERY, pages 467–574

---

*Note:* Page numbers of article titles are in **bold face** type.

### A

---

Acarbose, for diabetes mellitus, 98

Accessory soleus muscle, magnetic resonance imaging of, 300

#### Achilles tendon

injury of, magnetic resonance imaging in, 297–300

lengthening of

after forefoot amputation, 398–400

complications of, 402–403

for ankle equinus, 398–403

for posterior tibial tendon dysfunction, 380

procedure for, 400–403

paratenonitis of, 236, 297

rupture of, **231–250**

anatomic considerations in, 231–232

chronic degeneration contributing to, 235–237

diagnosis of, 234–235

epidemiology of, 234

evaluation of, 237–238

imaging of, 237

locations of, 236

magnetic resonance imaging in, 297

pathogenesis of, 232–234

physical examination in, 262–263

recurrent, 239, 245

treatment of

acute, 239

complications of, 245

new concepts in, 241

nonoperative versus operative, 238–239

reconstructive, 240–241

- rehabilitation in, 242-245
  - surgical, 239-243
  - with augmentation, 240
  - ultrasonography of, 446-447, 453-454
  - xanthoma of, 300
- Acid reflux disease, 23-25
- Acti-Coat dressing, for burns, 117-118
- Actinic keratosis, imiquimod for, 68
- Acute tubular necrosis, 57-58
- Age, Achilles tendon degeneration and, 233-234
- Albuminuria, in diabetic nephropathy, 53-54
- Albuterol
- for asthma, 173
  - for COPD, 174
- Alcohol use, in diabetes mellitus, 94
- Allopurinol, for gout, 152
- Alosetron, for irritable bowel syndrome, 33-34
- Alpha<sub>2</sub>-agonists
- for hypertension, 46
  - with regional anesthesia, 131
- Alpha<sub>1</sub>-antitrypsin deficiency, COPD in, 7
- Alpha<sub>1</sub>-blockers, for hypertension, 46
- Aluminum toxicity, in chronic renal failure, 59
- Aminophylline, for COPD, 174
- Amputation
- forefoot, equinus deformity after, 398-400
  - in burn injury, 121
- Anaphylaxis
- in local anesthesia, 165-167
  - versus vasovagal syncope, 182
- Anemia, in chronic renal failure, 60
- Anesthesia, **125-147**
- for shockwave therapy, 473
  - general, 126-128
  - goals of, 125-126
  - regional and local, 128-146
  - advantages of, 128-129
  - adverse reactions to, 164-166
  - prevention of, 166-167
  - treatment of, 167-168

- agents for, 131-133, 163-164
  - anatomic considerations in, 135-137
  - ankle block, 141-145
  - common peroneal nerve block, 144-145
  - emergencies with, 163-168
  - epinephrine with, 135
  - for postoperative analgesia, 133
  - guidelines for, 142-145
  - inguinal lumbar plexus block, 137-138
  - management after, 146
  - mixing of, 133-134
  - onset time for, 134-135
  - pharmacodynamics of, 132
  - posterior tibial nerve block, 143
  - properties of, 163-164
  - psoas compartment lumbar plexus block, 137-138
  - saphenous nerve block, 141
  - sciatic nerve block, 138-141
  - sedation with, 130-131
  - toxicity of, 131-133
  - versus general anesthesia, 126-129
  - safety in, 130
  - unplanned hospital admissions from, 126
- Angina pectoris, 171
- Angiotensin-converting enzyme inhibitors
- for diabetic nephropathy, 53-56
  - for hypertension, 46
- Angiotensin-receptor blockers, for diabetic nephropathy, 53-56
- Ankle, soft-tissue disorders of. *See also specific disorders, e.g., Achilles tendon,*
- rupture of; Impingement.
  - arthroscopy of, **271-283**
  - diagnosis of, for physical therapy, 323-324
  - evaluation of
    - for arthroscopy, 272-273
    - for physical therapy, 321-323
  - flexor hallucis tendon, 264, 266-267
  - functional assessment of, 321-322
  - lateral sprains. *See Sprains, lateral ankle.*
  - ligamentous. *See Sprains; specific ligaments.*
  - magnetic resonance imaging of. *See Magnetic resonance imaging, in ankle*
  - soft-tissue disorders.
  - physical examination in. *See Physical examination, in ankle soft-tissue disorders.*
  - physical therapy for, 242-245, **319-334**
  - synovitis, 274
  - treatment of, 267-268
- Ankle block, 141-145

- Ankle equinus, in diabetes mellitus, **391-409**
  - after forefoot amputation, 398-400
  - case studies of, 404-406
  - deforming forces in, 392-393
  - joint mobility limitations and, 393-395
  - measurement of, 391, 396
  - neuropathy and, 393
  - pathology of, 395-396
  - treatment of, 396-404
    - Achilles tendon lengthening in, 398-403
    - authors' experience with, 403-406
  - types of, 391-392
- Ankle-foot orthosis
  - for ankle equinus, 397
  - for posterior tibial tendon dysfunction, 355-357, 377
- Ankle pain, arthroscopy in, **509-517**
- Ankle tendons
  - dysfunction of
    - anterior tibial, **433-440**
    - equinus deformity in, **391-409**
    - flexor hallucis longus, **411-418**
    - peroneal, **419-431**
    - posterior tibial. *See* Posterior tibial tendon dysfunction.
    - ultrasonography in, **441-456**
  - rupture of, ultrasonography of, 451
  - ultrasonography of. *See* Ultrasonography, of ankle tendons.
- Ankylosing spondylitis, 157
- Anterior drawer test, for ankle disorders, 208, 255-256
- Anterolateral compression syndrome, arthroscopy for, 275-276
- Anticoagulants, for thromboembolic disease, 18
- Antidepressants, for diabetes mellitus, 495-498
- Antihyperglycemic agents, for diabetes mellitus, 95-97
- Antinuclear antibodies, in rheumatic disease, 160
- Antireflux surgery, for gastroesophageal reflux disease, 25
- Arrhythmias
  - anesthesia-induced, 132
  - in myocardial infarction, 170
- Arthritis
  - degenerative (osteoarthritis), 157-158
  - in Behçet's disease, 521
  - in sarcoidosis, 14
  - posterior tibial tendon dysfunction in, 346
  - psoriatic, 155-156

reactive, 156-157  
rheumatic, 153-155

Arthrodesis, for posterior tibial tendon dysfunction, 367, 380-381, 385

Arthrography, in pigmented villonodular synovitis, 530

#### Arthroscopy

in ankle pain, **509-517**  
    appearance in, 510-512  
    approach to, 515  
    clinical presentation of, 509-510  
    complications of, 516  
    contraindications to, 511  
    instrumentation for, 511, 513  
    portals for, 513-514  
    positioning for, 514-515  
    postoperative treatment in, 515-516  
    realistic expectations for, 516  
in ankle soft-tissue disorders, **271-283**  
    approaches to, 278  
    arthroscope for, 278  
    comprehensive approach to, 277-281  
    diagnostic, 273, 278-279  
    evaluation before, 272-273  
    impingement, 264, 274-276  
    lateral instability, 276-277  
    postoperative care in, 280-281  
    principles of, 273  
    synovitis, 274  
    tibiofibular syndesmosis sprains, 201, 203  
in pigmented villonodular synovitis, 530-531

Ascomycin derivatives, topical, for skin disorders, 67

Aspirin, for myocardial infarction, 170

Asthma, 3-6, 172-173

Atherosclerosis, in diabetes mellitus, 101

Atopic dermatitis, topical immunosuppressive agents for, 65-68

#### Azathioprine

for inflammatory bowel disease, 32  
for sarcoidosis, 14

Azotemia, kidney failure in, 57-58

## B

Balance, in ankle soft-tissue disorders  
    evaluation of, 323  
    physical therapy for, 329-331

- Barium enema, for colon cancer screening, 28
- Barrett's esophagus, 24
- Basal cell carcinoma, imiquimod for, 68
- Becaplermin gel
  - for diabetic ulcers, **483-491**
  - for wounds, 73-75
- Behçet's disease, **519-525**
  - case report of, 523-524
  - diagnosis of, 521-523
  - prognosis for, 523
  - symptoms of, 520-521
  - treatment of, 523
- Benzodiazepines, with regional anesthesia, 130-131
- Berndt-Hardy talar dome classification, 511
- Beta-agonists
  - for asthma, 5, 173
  - for COPD, 9
- Beta-blockers, for hypertension, 46
- Bifurcate ligament
  - anatomy of, 216-217
  - rupture of, 223
- Biologic skin substitutes, for wounds, 74-76
- Biomechanics, of tibiofibular syndesmosis, 196-197
- Brain, diabetes mellitus effects on, 497
- Bretylium, for arrhythmias, in anesthesia, 132
- Bronchitis, chronic, 6-10, 174
- Bronchodilators
  - for asthma, 5
  - for COPD, 8-9
- Broström procedure, in lateral ankle sprains, 213
- Bupivacaine, characteristics of, 132-133
- Burns, **109-123**
  - age considerations in, 110
  - anatomic considerations in, 114, 116
  - assessment of, 111-115
  - causes of, 110
  - degree of, 112-114
  - epidemiology of, 109
  - major
    - criteria for, 109-110
    - pedal burns as, 116

- morbidity in, 111
- on plantar surface, 119-121
- pathophysiology of, 112
- thickness of, 112-114
- treatment of, 116-121

Bursae, ultrasonography of, 451-452

## C

Calcaneal osteotomy, for posterior tibial tendon dysfunction

- Evans, 362-365, 379-380
- medial displacement, 365-366, 379

Calcaneocuboid joint, arthrodesis of, for posterior tibial tendon dysfunction, 367, 380-381

Calcaneocuboidal instability, 223

Calcaneofibular ligament

- anatomy of, 206, 310
- magnetic resonance imaging of, 286-287
- repair of, 210, 213-215
- rupture of. *See* Sprains, lateral ankle.

Calcaneonavicular ligament, rupture of, 223

Calcium channel blockers, for hypertension, 46

Calcium pyrophosphate dihydrate crystals, in pseudogout, 153

Calcium stones, kidney, 48-49

Calculi, kidney, 48-51

Cancer

- colon, screening for, 27-31
- skin, imiquimod for, 68

Capsular shrinkage, in ankle arthroscopy, 279-280

Capsule, ankle joint, ultrasonography of, 449

Cardiovascular disorders, 168-171

- anesthesia-induced, 132, 164-165, 167

Cast immobilization

- in lateral ankle sprains, 209-211
- in subtalar instability, 219

Celecoxib, action of, 26

Cerebrovascular accident, 179-180

Charcot foot

- ankle equinus effects on, 395-396
- in diabetes mellitus, case study of, 500-506

Cheiroarthopathy, in diabetes mellitus, 393-395

- Chest pain, 168-171
- Chest radiography, in pulmonary disease, 2-3
- 2-Chloroprocaine, properties of, 132-133
- Chloroquine, for sarcoidosis, 14-15
- Chondromalacia, arthroscopy for, 511
- Chopart amputation, equinus deformity after, 398-400
- Chrisman-Snook tenodesis  
    in lateral ankle sprains, 213  
    in subtalar instability, 219, 222-223
- Chronic obstructive pulmonary disease, 6-10, 174
- Ciclopirox nail lacquer, for fungal infections, 69-71
- Cimetidine, for gastroesophageal reflux disease, 24
- Clear space, in tibiofibular syndesmosis sprain evaluation, 198
- Clonidine, with regional anesthesia, 131
- Coagulation disorders, thromboembolism in, 15-19
- Cobb procedure, for posterior tibial tendon dysfunction, 378, 381-385
- Colchicine  
    for Behçet's disease, 523  
    for gout, 152
- Colitis, ulcerative, 32
- Colon cancer, screening for, 27-31
- Colonoscopy, for colon cancer screening, 28-31
- Computed tomography  
    helical, in virtual colonoscopy, 28-29  
    in kidney disease, 48, 51-52  
    in peroneal tendon injury, 422  
    in pigmented villonodular synovitis, 530  
    in pulmonary disease, 3  
    in pulmonary embolism, 17  
    in tibiofibular syndesmosis sprain, 198-199  
    of ankle tendons, versus ultrasonography, 452-453
- Constipation, in irritable bowel syndrome, 32-34
- Conti classification, of posterior tibial tendon dysfunction, 347, 376
- Continuous ambulatory peritoneal dialysis, 60-61
- Contracture, of burn scars, 119
- COPD (chronic obstructive pulmonary disease), 6-10, 174
- Corticosteroids  
    for asthma, 5

- for Behçet's disease, 523
  - for COPD, 9
  - for inflammatory bowel disease, 32
  - for kidney transplantation, 62
  - for pulmonary fibrosis, 12
  - for sarcoidosis, 14
- Cost-effectiveness, of platelet-derived growth factor, for diabetic ulcers, 483-491
- Crook-Gault formula, for glomerular filtration rate, 56
- Crohn's disease, 32
- Cryotherapy
- for lateral ankle sprains, 313
  - for pain, in ankle soft-tissue disorders, 326
- Cyanosis, 171-172
- Cyclosporine, for Behçet's disease, 523
- Cyst(s), ganglion, of ankle, magnetic resonance imaging in, 305-306
- Cystic disease, of kidney, 51-52
- Cystine stones, kidney, 50
- Cytokines
- in asthma, 4
  - inhibitors of, for inflammatory bowel disease, 32
- Cytomegalovirus infections, for kidney transplantation, 63

## **D**

- D-dimer assay, for thromboembolic disease, 17
- Dancer's tendinitis. *See* Flexor digitorum longus tendon, dysfunction of.
- Debridement, arthroscopic
- of ankle impingement, 274-276
  - technique for, 279
- Deep venous thrombosis, 15-19
- Defibrillation, in myocardial infarction, 170
- Deltoid ligament
- injuries of, 204-206, 261
  - ultrasonography of, 448
- Depression, in diabetes mellitus. *See* Diabetes mellitus, ulcers in, depression in.
- Dermatitis, topical immunosuppressive agents for, 65-68
- Dermatofasciotomy, in talar dislocation, 225
- Dermatology, 65-78
- diabetic dermopathy, 104
  - diabetic ulcers. *See* Diabetes mellitus, ulcers in.

- nondermatophytic onychomycosis, 71-72
- topical antifungal nail lacquer, 69-71
- topical immunomodulators, 65-68
- wound treatments, 72-76

Dexmetomidine, with regional anesthesia, 131

**Diabetes mellitus, 79-107**

- ankle equinus in. *See* Ankle equinus, in diabetes mellitus.
- classification of, 80-81
- complications of, 98, 100-104
- definition of, 79
- dermopathy in, 104
- diagnosis of, 80-81
  - new criteria for, 86-88
- epidemiology of, 79
- foot problems in, 103-104. *See also* Diabetes mellitus, ulcers in.
- gestational, 86
- hypoglycemia in, 175-177
- ketoacidosis in, 98, 100-102
- management of, 89-98
  - antidepressants interfering with, 498
  - dietary, 92-94
  - exercise in, 94-95
  - goals of, 89-91
  - health maintenance in, 92
  - history in, 91
  - in nephropathy, 54
  - insulin in, 95, 98-99
  - laboratory evaluation in, 91
  - oral glucose-lowering agents in, 95-97
  - physical examination in, 91
- maturity-onset diabetes of the young (MODY), 85
- nephropathy in, 52-56, 102
- nonketotic hyperosmolar state in, 98, 100-102
- pathogenesis of, 82-86
- quality of life in, 499-500
- screening for, in asymptomatic persons, 88
- type 1, 81-83, 89-90
- type 2, 83-86
  - management of, 90-91
  - prevention of, 95
- ulcers in
  - ankle equinus and, 394-395, 397, 404-406
  - depression in, **493-508**
    - case report of, 500-506
    - diagnosis of, 494-495, 497
    - epidemiology of, 493-494, 497
    - etiology of, 495
    - organic causes of, 497

- suicide in, 498-506
- treatment of, 495-498
- treatment of, 73-75, 103-104
- cost-effective, **483-491**
- vascular complications of, 101-103
- Dialysis, in chronic renal failure, 59-61
- Diarrhea, in irritable bowel syndrome, 32-34
- Diazepam
  - for seizures, 179
  - with regional anesthesia, 130-131
- Diet
  - for diabetes mellitus, 92-94
  - for kidney stone prevention, 50
- Diphenhydramine, for hypersensitivity reactions, in anesthesia, 166-168
- Dislocation
  - peroneal tendons, 426-429
  - subtalar joint, 223-225
  - talar, 225
- Diuretics, for hypertension, 46
- Doppler ultrasonography, for thromboembolic disease, 17
- Double heel-rise test, in posterior tibial tendon dysfunction, 373
- Dyspnea, 171-172

## **E**

- 
- Edema, in ankle soft-tissue disorders, physical therapy for, 324-325
  - Electrical stimulation, in ankle soft-tissue disorders, 324-326
  - Electroconvulsive therapy, for depression, in diabetes mellitus, 496-497
  - Elmslie tenodesis, in subtalar instability, 221-222
  - Embolism, pulmonary, 15-19
  - Emergencies, office, **163-185**
    - cardiovascular, 168-171
    - hypoglycemia, 175-177
    - local anesthesia-related, 163-168
    - neurologic, 177-180
    - respiratory, 171-174
    - syncope, 181-183
  - Emphysema, 6-10, 174
  - Endurance training, for ankle soft-tissue disorders, 328-329
  - Environmental factors, in interstitial lung disease, 10

**Epinephrine**

- for asthma, 173
- for hypoglycemia, 176

**Equinus deformity**

- ankle. *See* Ankle equinus.
- in posterior tibial tendon dysfunction, surgical treatment of, 358-359

**Erythema nodosum, in sarcoidosis, 13****Erythrocyte sedimentation rate, in rheumatic disease, 160-161****Erythropoietin, for anemia, in chronic renal failure, 60****Esomeprazole, for gastroesophageal reflux disease, 24****Esophagus, gastric acid reflux into, 23-25****"Espace claire," in tibiofibular syndesmosis sprain evaluation, 198****Evans calcaneal osteotomy, for posterior tibial tendon dysfunction, 362-365, 379-380****Evans tenodesis, in lateral ankle sprains, 213****Exercise**

- for ankle soft-tissue disorders
  - Achilles tendon repair, 242-245
  - for pain relief, 326-328
  - for proprioception improvement, 313, 329-331
  - lateral sprains, 312-314
  - range-of-motion, 324-326
  - strengthening, 328-329
- in diabetes mellitus, 94-95

**Extensor digitorum longus tendon, ultrasonography of, 448-449****Extensor hallucis longus tendon, ultrasonography of, 448-449****Extensor retinaculum, anatomy of, 216-217****External rotation test, for ankle disorders, 254-255****Extracorporeal shockwave therapy**

- for kidney stones, 50
- for plantar fasciitis, **467-476**
  - contraindications for, 471
  - historical overview of, 467-470
  - indications for, 470-471
  - principles of, 467-470
  - results of, 471
  - technique for, 471-475

---

**F****Fainting, 181-183**

- Famotidine, for gastroesophageal reflux disease, 24
- Fecal occult blood testing, for colon cancer, 27-28
- Fibrosis, pulmonary, 11-12
- First metatarsal rise sign, in posterior tibial tendon dysfunction, 373
- Fistula, arteriovenous, for hemodialysis, 60
- FK 506 (tacrolimus), topical, for dermatitis, 65-67
- Flaps, for burn reconstruction, 120-121
- Flatfoot, adult-onset. *See* Posterior tibial tendon dysfunction.
- Flexor digitorum longus tendon
  - dysfunction of, **411-418**
    - description of, 411-412
    - diagnosis of, 413-415
    - differential diagnosis of, 411-412
    - pathomechanics of, 412-413
    - treatment of, 415-417
  - transfer of, for posterior tibial tendon dysfunction, 360-361, 378
  - ultrasonography of, 447
- Flexor hallucis longus tendon, ultrasonography of, 447
- Flexor hallucis tendon
  - injury of, magnetic resonance imaging in, 295-296
  - stenosing tenosynovitis of, physical examination in, 266-267
  - tendinitis of, impingement with, 264
  - tendinosis of, physical examination in, 266-267
- Flumazenil, for benzodiazepine reversal, 130-131
- Foot drop
  - in anterior tibial tendon injuries, 435-436
  - in burn injury, 118
- Footwear, orthopedic
  - for ankle equinus, 397, 403-404
  - for posterior tibial tendon dysfunction, 355-357, 377
- Forefoot, amputation of, equinus deformity after, 398-400
- Fractures
  - of ankle, arthroscopy for, 511
  - of malleolus, in tibiofibular syndesmosis, 197, 200
  - of tibia, physical examination in, 264-265
- Frankel classification, of posterior tibial tendon dysfunction, 376
- Frick's test, in tibiofibular syndesmosis sprain, 198
- Functional treatment, of lateral ankle sprains, 312-314
- Funk classification, of posterior tibial tendon dysfunction, 375

**G****Gait**

- after burn treatment, 121
- in ankle equinus, 392-393
- in anterior tibial tendon injuries, 435-436

**Gait analysis**

- in anterior tibial tendon rupture, 263-264
- in posterior tibial tendon dysfunction, 266
- in tarsal tunnel syndrome, 265

Ganglion cysts, of ankle, magnetic resonance imaging in, 305-306

Gastrocnemius aponeurosis flap, for Achilles tendon repair, 240

Gastrocnemius recession procedures, for posterior tibial tendon dysfunction, 358-359

**Gastroenterology, 23-42**

- colon cancer, 27-31
- gastroesophageal reflux disease, 23-25
- Helicobacter pylori* infections, 26-27
- hepatitis B, 34-36
- hepatitis C, 36-37
- inflammatory bowel disease, 32
- irritable bowel syndrome, 32-34
- nonsteroidal anti-inflammatory drug-induced gastropathy, 26
- peptic ulcer disease, 26-27

Gastroesophageal reflux disease, 23-25

Gastropathy, nonsteroidal anti-inflammatory drug-induced, 26

Gender differences, in Achilles tendon rupture, 233-234

GERD (gastroesophageal reflux disease), 23-25

Gestational diabetes mellitus, 86

Giant cell tumors, tendon sheath, magnetic resonance imaging in, 301-302

Glimepiride, for diabetes mellitus, 97

Glipizide, for diabetes mellitus, 97

Glomerular filtration rate, calculation of, 56

Glucagon, for hypoglycemia, 176

**Glucose**

- control of, in diabetes mellitus. *See* Diabetes mellitus, management of.
- for hypoglycemia, 176

Glyburide, for diabetes mellitus, 97

Gout, 151-153

Graft, skin, for burns, 118-120

Graftskin, for wounds, 74-75

- Granulomas, in sarcoidosis, 13-15
- Gungor test, for ankle disorders, 256

## H

- Healing, wound, stages of, 73
- Heart attack, 169-170
- Heartburn, 23-25
- Heel, ankylosing spondylitis of, 157
- Heel spur syndrome. *See* Plantar fasciitis, chronic proximal.
- Helical computed tomographic angiography, in pulmonary disease, 3
- Helicobacter pylori* infections, 26-27
- Hemodialysis, in chronic renal failure, 59-61
- Heparin, for thromboembolic disease, 18
- Hepatitis B, 34-36
- Hepatitis C, 36-37
- Histamine<sub>2</sub> receptor antagonists, for gastroesophageal reflux disease, 24
- History, in physical examination, in ankle soft-tissue disorders, 253
- Homan's sign, in thromboembolism, 15
- Hubsher maneuver, in posterior tibial tendon dysfunction, 353-354
- Human leukocyte antigens, in Behçet's disease, 522-523
- Hydroxychloroquine, for rheumatoid arthritis, 154-155
- Hypercoagulability, thromboembolism in, 15-19
- Hyperparathyroidism, in chronic renal failure, 59
- Hyperphosphatemia, in chronic renal failure, 59
- Hypersensitivity reactions, to local anesthetics, 165-167
- Hypertension, 43-47
  - causes of, 43-44
  - evaluation of, 44-45
  - in diabetes mellitus, 54-55
  - natural history of, 43-44
  - treatment of, 45-47, 180
- Hypoglycemia, 175-177
- Hypothesis-oriented algorithm for clinicians, for ankle physical therapy, 320-321
- Hypovascularity
  - anterior tibial tendon injuries in, 434
  - in Achilles tendon rupture pathogenesis, 233
  - posterior tibial tendon dysfunction in, 346, 372

**I**

- Idiopathic pulmonary fibrosis, 11-12
- Imiquimod, topical, for skin disorders, 67-68
- Immobilization
  - in Achilles tendon rupture, 238-239, 241
  - in lateral ankle sprains, 209-211, 312
  - in posterior tibial tendon dysfunction, 377
  - in subtalar instability, 219
- Immunoglobulin E, inhibitors of, for asthma, 6
- Immunosuppressive therapy
  - for kidney transplantation, 62
  - topical, 65-68
- Impedance plethysmography, for thromboembolic disease, 17
- Impingement, ankle
  - adverse reactions to, 510
  - arthroscopy for, 274-276
  - magnetic resonance imaging in, 289-290
  - physical examination in, 264
- Indomethacin
  - for ankylosing spondylitis, 157
  - for gout, 152
- Infections
  - after kidney transplantation, 63
  - of burns, 117-118
- Inflammation, in posterior tibial tendon dysfunction, 352
- Inflammatory bowel disease, 32
- Infliximab, for inflammatory bowel disease, 32
- Inguinal lumbar plexus block, 138
- Inhalers, for asthma, 173
- Inspection, in ankle physical examination, 253
- Insulin
  - disorders of, in diabetes mellitus, 83-85
  - for diabetes mellitus management, 95, 98-99, 176
- Interferon alfa
  - for hepatitis B, 35
  - for hepatitis C, 37
- Interferon- $\gamma$ , for pulmonary fibrosis, 12
- Internal fixation
  - in Achilles tendon rupture, 241-242
  - in tibiofibular syndesmosis, 200-202

## Internal medicine updates

- anesthesia. *See* Anesthesia.
- burns, 109-123
- dermatology, 65-78
- diabetes mellitus. *See* Diabetes mellitus.
- emergencies, 163-185
- gastroenterology, 23-42
- nephrology, 43-64
- pulmonary disease, 1-22
- rheumatology, 149-161

## Interosseous ligament

- anatomy of, 196, 216-217
- rupture of, 197

## Interstitial lung disease, 10-15

- fibrosis, 11-12
- sarcoidosis, 13-15

## Ipratropium bromide, for COPD, 8-9

## Irritable bowel syndrome, 32-34

## Islet amyloid polypeptide, in diabetes mellitus, 84

## Itraconazole, for onychomycosis, 72

---

**J**

## Jahss classification, of posterior tibial tendon dysfunction, 347

## Johnson and Strom classification, of posterior tibial tendon dysfunction, 347, 375-376

## Joint-mobilization techniques, for ankle, 325-326

---

**K**

## Keratoderma blennorrhagica, 156

## Keratoses, actinic, imiquimod for, 68

## Ketoacidosis, diabetic, 98, 100-102

## Kidner procedure, modified, for posterior tibial tendon dysfunction, 361-362

Kidney. *See also* Nephrology.

- computed tomography of, 48
- cystic disease of, 51-52
- diabetic complications in, 52-56, 102
- failure of
  - acute, 56-59
  - chronic, 59-61
- scan of, 47-48
- stones of, 48-51

- transplantation of, 61-63
- ultrasonography of, 47-48

Knee, sciatic nerve block at, 140-141

## L

---

- Labatt approach, for sciatic nerve block, 138-139
- Lacquer, nail, for fungal infections, 69-71
- Lamivudine, for hepatitis B, 35
- Lansoprazole, for gastroesophageal reflux disease, 24-25
- Laparoscopic surgery, for gastroesophageal reflux disease, 25
- Lateral ankle sprains. *See* Sprains, lateral ankle.
- Leukotriene inhibitors, for asthma, 5-6
- Lidocaine, properties of, 133
- Ligament(s), ankle. *See* Sprains; *specific ligaments*.
- Ligamentoplasty
- calcaneocuboidal, 223
  - peroneus longus, for chronic syndesmotic insufficiency, 203-204
- Lithiasis, kidney, 48-51
- Lithotripsy, for kidney stones, 50
- Liver, glucose production in, in diabetes mellitus, 84
- Lorazepam, for seizures, 179
- Lumbar plexus block, 137-138
- Lung disease. *See* Pulmonary disease.
- Lung-volume reduction surgery, for COPD, 9-10
- Luxatio pedis sub talo, 223-225

## M

---

- Mafenide acetate, for burns, 117-118
- Magnetic resonance imaging
- in ankle soft-tissue disorders, **309-318**, 531
    - accessory soleus muscle, 300
    - Achilles tendon, 237, 297-300
    - anterolateral impingement, 289-290
    - before arthroscopy, 272-273, 277-278
    - flexor hallucis longus tendon, 296-297
    - indications for, 285

- ligament injury, 286-289
  - peroneal tendon, 291-294
  - sinus tarsi syndrome, 304-305
  - synovial, 300-302
  - talar osteochondral lesion, 290-291
  - tarsal tunnel syndrome, 302-304
  - technique for, 285-286
  - tibial tendon, 294-295, 297
  - tumors, 305-306
  - in flexor digitorum longus tendon dysfunction, 414
  - in peroneal tendon injury, 422
  - in posterior tibial tendon dysfunction, 374
  - of ankle tendons, versus ultrasonography, 452-453
- Malleolus, fracture of, in tibiofibular syndesmosis, 197, 200
- Matles test, for Achilles tendon rupture, 262-263
- Mechanical theory, of Achilles tendon rupture, 233-234
- Medial displacement calcaneal osteotomy, for posterior tibial tendon dysfunction, 365-366, 379
- Medullary cystic disease, of kidney, 52
- Medullary sponge kidney, 52
- Mepivacaine, properties of, 133
- 6-Mercaptopurine, for inflammatory bowel disease, 32
- Mesalamine, for inflammatory bowel disease, 32
- Metatarsocuneiform joint, arthrodesis of, for posterior tibial tendon dysfunction, 367
- Metformin, for diabetes mellitus, 98
- Methotrexate
- for psoriasis, 155
  - for rheumatoid arthritis, 154-155
  - for sarcoidosis, 14
- Methylprednisolone, for asthma, 5
- Microalbuminuria, in diabetic nephropathy, 53-54
- Midazolam, with regional anesthesia, 130-131
- Midtarsal joint, arthrodesis of, for posterior tibial tendon dysfunction, 367
- Miglitol, for diabetes mellitus, 98
- Molluscum contagiosum, imiquimod for, 68
- Monoamine oxidase inhibitors, for depression, in diabetes mellitus, 496
- Morphine, for myocardial infarction, 170
- Mueller classification, of posterior tibial tendon dysfunction, 347, 376

**Muscle(s)**

- firing patterns of, in ankle soft-tissue disorders, physical therapy for, 331
- strength of, in ankle soft-tissue disorders, evaluation of, 323

Myocardial infarction, 169-170

**N****Nail(s)**

- fungal infections for, lacquer for, 69-71
- psoriasis of, 155
- Reiter's syndrome affecting, 156

Nateglinide, for diabetes mellitus, 97

Naviculocuneiform joint, arthrodesis of, for posterior tibial tendon dysfunction, 367

**Nephrology, 43-64**

- cystic diseases, 51-52
- diabetic nephropathy, 52-56, 102
- diagnostic approaches in, 47-48
- hypertension. *See* Hypertension.
- kidney failure
  - acute, 56-59
  - chronic, 59-61
- stones, 48-51
- transplantation, 61-63

**Neurologic disorders, 177-180**

- diabetic neuropathy, 102-103
- local anesthetic-induced, 164-165, 167
- seizures, 177-179
- stroke, 179-180

Neuropathy, diabetic, complications of, 393-395

**Nitroglycerin**

- for angina pectoris, 171
- for myocardial infarction, 170

Nizatidine, for gastroesophageal reflux disease, 24

Nonketotic hyperosmolar state, in diabetes mellitus, 98, 100-102

Nonsteroidal anti-inflammatory drugs, gastropathy due to, 26

Nutrition. *See* Diet.

**O**

Obesity, diabetes mellitus and, 86

Occupational lung disease, 10

Office emergencies. *See* Emergencies, office.

- Omeprazole, for gastroesophageal reflux disease, 24-25
- Onychomycosis
- nail lacquer for, 69-71
  - nondermatophytic, 71-72
- Oral glucose-lowering agents, for diabetes mellitus, 95-97
- Orthosis
- for ankle equinus, 397, 403-404
  - for anterior tibial tendon injuries, 436-437
  - for lateral ankle sprains, 209-210, 212
  - for posterior tibial tendon dysfunction, 355-357, 377
  - for subtalar instability, 219
  - for tibiofibular syndesmosis, 200
- OssaTron shockwave therapy device, 471-475
- Osteoarthritis, 157-158
- Osteochondral lesions, talar, magnetic resonance imaging in, 290-291
- Osteochondromatosis, synovial, magnetic resonance imaging in, 302
- Osteodystrophy, renal, 59
- Osteotomy, calcaneal, for posterior tibial tendon dysfunction
- Evans, 362-365, 379-380
  - medial displacement, 365-366, 379
- Oxygen therapy
- for asthma, 173
  - for COPD, 9, 174
  - for myocardial infarction, 170
  - for stroke, 180
  - for syncope, 183
- Oxypurinol stones, kidney, 50-51

## **P**

### **Pain**

#### **ankle**

- arthroscopy for, 277-281
- arthroscopy in, **509-517**
- physical therapy for, 326-328
- in peroneal tendon injury, 421
- in pigmented villonodular synovitis, 528
- in plantar fasciitis, 470, 475
- in posterior tibial tendon dysfunction, 351-352, 373

Palpation, in ankle physical examination, 253-254

Pantalar arthrodesis, for posterior tibial tendon dysfunction, 367

Pantoprazole, for gastroesophageal reflux disease, 24

- Paratenonitis, Achilles tendon, 236, 297
- Patellar tendon bearing brace, for posterior tibial tendon dysfunction, 357
- Peginterferon alfa-2b, for hepatitis C, 37
- Peptic ulcer disease, 26-27
- Periosteal flap, in lateral ankle sprain repair, 213-215
- Peripheral nerve blocks. *See* Anesthesia, regional and local.
- Peritendinitis, ultrasonography of, 451
- Peritoneal dialysis, continuous ambulatory, 60-61
- Peroneal nerve, common, block of, 144-145
- Peroneal tendons
  - disorders of
    - magnetic resonance imaging in, 291-294
    - physical examination in, 257-261
  - in lateral ankle sprain tenodesis, 213
  - in subtalar instability tenodesis, 219
  - injuries of, **419-431**
    - anatomic considerations in, 419-421
    - diagnosis of, 421-422
    - dislocation, 426-429
    - examination of, 421
    - rupture, 424-426
    - subluxation, 426-429
    - tendonitis, 422-424
    - tenosynovitis, 422-424
  - ultrasonography of, 449-450, 453
- Peroneus longus ligamentoplasty, for chronic syndesmotic insufficiency, 203-204
- Pes planovalgus deformity, in posterior tibial tendon dysfunction, 266
- Physical examination, in ankle soft-tissue disorders, **251-269**, 267
  - anatomic considerations in, 251-253
  - anterior, 254-255
  - anterior tibial tendon rupture, 263-264
  - flexor hallucis longus tenosynovitis, 266-267
  - for arthroscopy, 272-273
  - for physical therapy, 321-323
  - history in, 253
  - imaging with, 267
  - impingement, 264
  - inspection in, 253
  - lateral, 255-261
  - medial, 261
  - palpation in, 253-254
  - posterior rupture, 262-263
  - posterior tibial fracture, 264-265

- posterior tibial tendon dysfunction, 266
- tarsal tunnel syndrome, 265-266
- Physical therapy, for ankle soft-tissue disorders, **319-334**
  - Achilles tendon repair, 242-245
  - evaluation for, 321-323
  - hypothesis-oriented algorithm for clinicians, 320-321
  - indications for, 320
  - muscle firing patterns in, 331
  - pain control, 326-328
  - physical therapy versus medical diagnosis for, 323-324
  - proprioception training, 313, 329-331
  - range of motion improvement, 324-326
  - strength improvement, 328-329
- Pigmented villonodular synovitis, **527-540**
  - case report of, 532-537
  - clinical features of, 528-529
  - definition of, 527
  - differential diagnosis of, 531
  - epidemiology of, 528
  - etiology of, 528
  - genetic factors in, 529-530
  - imaging of, 530-531
  - magnetic resonance imaging in, 300-301
  - malignant, differential diagnosis of, 531
  - pathology of, 529
  - recurrence of, 532
  - treatment of, 531-532, 534-536
- Pimecrolimus, topical, for skin disorders, 67
- Pioglitazone, for diabetes mellitus, 98
- Plantar fasciitis, chronic proximal
  - extracorporeal shockwave therapy for, **467-476**
    - historical overview of, 467-470
    - indications for, 470-471
    - principles of, 467-470
    - results of, 471
    - technique for, 471-475
  - pathogenesis of, 470
- Plantaris tendon
  - in subtalar instability tenodesis, 219
  - ultrasonography of, 447
- Platelet-derived growth factor, in gel
  - for diabetic ulcer, **483-491**
  - for wounds, 73-75
- Plethysmography, impedance, for thromboembolic disease, 17
- Pneumonitis, idiopathic, 10-11

- Polycystic kidney disease, 51-52
- Polyps, colon, evaluation of, 27-31
- Popliteal fossa block, for sciatic nerve block, 140-141
- Posterior tibial tendon dysfunction, **345-370, 371-389**
  - anatomic considerations in, 371-372
  - autoimmune causes of, 373
  - classification of, 346-351, 375-377
  - clinical presentation of, 373-374
  - differential diagnosis of, 374
  - etiology of, 346, 372-373
  - evaluation of, 351-355
  - examination in, 373-374
  - iatrogenic, 373
  - imaging of, 374-375
  - pathomechanics of, 345-346, 372-373
  - treatment of
    - non-operative, 355-357, 377-378
    - surgical, 357-367, 378-386
      - arthrodesis in, 367, 380-381
      - calcaneal osteotomies in, 379-380
      - Cobb procedure in, 381-385
      - equinus correction in, 358-359
      - Evans calcaneal osteotomy in, 362-365, 379-380
      - flexor digitorum longus tendon transfer in, 360-361, 378-379
      - medial column stabilization in, 380
      - medial displacement calcaneal osteotomy in, 365-366, 379
      - modified Kidner procedure in, 361-362
      - selection of, 385-386
      - soft-tissue procedures in, 378-379
    - versus classification, 347-351
- Prednisone, for Behçet's disease, 523
- Pregnancy, diabetes mellitus in, 86
- Procaine, properties of, 132
- Proprioception, in ankle soft-tissue disorders
  - evaluation of, 323
  - lateral sprain, 313
  - physical therapy for, 329-331
- Protein, requirements for, in diabetes mellitus, 55-56, 93
- Proton pump inhibitors, for gastroesophageal reflux disease, 24-25
- Pseudogout, 153
- Psoas compartment lumbar plexus block, 137-138
- Psoriatic arthritis, 155-156
- Pulmonary angiography, 3

**Pulmonary disease, 1-22**

- asthma, 3-6, 172-173
- chronic obstructive, 6-10
- diagnosis of, 2-3
- embolism, 15-19
- emergency care in, 171-174
- fibrosis, 11-12
- interstitial, 10-15
- obstructive, 3-10
- sarcoidosis, 13-15

Pulmonary function testing, 2

Pulmonary rehabilitation, for COPD, 9

Pyoderma gangrenosum, tacrolimus for, 67

---

**Q**

Quality of life, in diabetes mellitus, 499-500

---

**R**

Rabeprazole, for gastroesophageal reflux disease, 24

Radiofrequency technique, for lateral ankle instability, 276-277

Radiography equipment, X-PODite Digital Radiograph Analyzer, 477-482

Raj approach, for sciatic nerve block, 139

Range of motion, of ankle

- assessment of, 322
- physical therapy interventions for, 324-326

Ranitidine, for gastroesophageal reflux disease, 24

Reactive arthritis, 156-157

Reduction

- of subtalar dislocation, 225
- of talar dislocation, 225

Reflux, gastroesophageal, 23-25

Rehabilitation

- in Achilles tendon rupture, 242-245
- in ankle soft-tissue disorders, soleus muscle stretching in, 325
- in lateral ankle sprains, 312-314
- pulmonary, for COPD, 9

Reiter's syndrome, 156-157

Rejection, of kidney transplant, 62

Renal osteodystrophy, 59

Repaglinide, for diabetes mellitus, 97

Resistant band exercise, for ankle soft-tissue disorders, 328-329

Retinopathy, diabetic, 101-102

Rheumatic disease, **149-161**

- ankylosing spondylitis, 157
- antinuclear antibodies in, 160
- clinical features of, 150-151
- erythrocyte sedimentation rate in, 160-161
- gout, 151-153
- osteoarthritis, 157-158
- pseudogout, 153
- psoriatic arthritis, 155-156
- Reiter's syndrome, 156-157
- rheumatoid arthritis, 153-155
- rheumatoid factor in, 159
- tests for, interpretation of, 158-161

Rheumatoid arthritis, 153-155

Rheumatoid factor, in rheumatic disease, 159

Ribavirin, for hepatitis C, 37

RICE treatment

- for peroneal tendonitis, 423
- for posterior tibial tendon dysfunction, 377

Rofecoxib, action of, 26

Ropivacaine, characteristics of, 132-133

Rosenberg classification, of posterior tibial tendon dysfunction, 375

Rosiglitazone, for diabetes mellitus, 98

## S

Saphenous nerve block, 141

Sarcoidosis, 13-15

Sarcoma, synovial, of ankle, magnetic resonance imaging in, 305-306

Scars, burn, 119

Sciatic nerve block, 138-141

Screw fixation

- of lateral ankle sprains, 210
- of tibiofibular syndesmosis, 200-202

SDZ ASM 981 (ascomycin derivative), topical, for skin disorders, 67

Sedation, with regional anesthesia, 130-131

Seizures, 177-179

Selective serotonin reuptake inhibitors, for depression, in diabetes mellitus, 496

Shockwave therapy, extracorporeal. *See* Extracorporeal shockwave therapy.

Shoes. *See* Footwear.

Sigmoidoscopy, for colon cancer screening, 28

Silver nitrate, for burns, 117-118

Silver sulfadiazine, for burns, 117-118

Single heel raise test, for Achilles tendon rupture, 263

Sinus tarsi syndrome, magnetic resonance imaging in, 304-305

#### Skin

anatomy of, 114, 116

disorders of. *See also* Burns; Dermatology.

in Behçet's disease, 521

substitutes for, for wounds, 74-76

Skin graft, for burns, 118-120

Smoking, COPD in, 6-8

Soft-tissue disorders, of ankle. *See* Ankle, soft-tissue disorders of.

#### Soleus muscle

accessory, magnetic resonance imaging of, 300

stretching of, in ankle rehabilitation, 325

Splinting, for ankle equinus, 397

#### Sprains, 195-229

deltoid ligament, 204-206

lateral ankle, 206-216, **309-318**

acute, 208-212

anatomy of, 206-207, 309-310

arthroscopy for, 276-277

chronic, 212-216

classification of, 310-311

complications of, 314-315

conservative treatment of, 312-314

diagnosis of, 207-208

epidemiology of, 309

incidence of, 206

magnetic resonance imaging of, 286-289

mechanisms of, 207

surgical treatment of, 311-312

treatment of, 208-216, 311-314

subtalar, 216-225

tibiofibular syndesmosis, 195-204

Squamous cell carcinoma, of skin, imiquimod for, 68

Squeeze test, for ankle disorders, 254

Status epilepticus, 179

Stones, kidney, 48-51

Strayer gastrocnemius recession, for posterior tibial tendon dysfunction, 358

Strength, in ankle soft-tissue disorders

    evaluation of, 323

    physical therapy for, 328-329

Stretching exercise, for ankle equinus, 396-397

Stroke, 179-180

Struvite stones, kidney, 50

Subluxation, of peroneal tendons, 259-260, 426-429

Subtalar joint

    arthrodesis of, for posterior tibial tendon dysfunction, 367, 380-381, 385

    instability of, 216-225

        anatomy of, 216-217

        diagnosis of, 218-220

        in dislocation, 223-225

        in total talar dislocation, 225

        mechanism of, 218

        treatment of, 219, 221-225

Suicide

    clinical findings in, 498-499

    diabetes and, 499-506

    epidemiology of, 498

    etiology of, 498

Sulfasalazine, for inflammatory bowel disease, 32

Syncope, 181-183

Syndesmosis. *See* Tibiofibular syndesmosis.

Synovectomy, in ankle arthroscopy, 278-279

Synovial osteochondromatosis, magnetic resonance imaging in, 302

Synovial sarcoma, of ankle, magnetic resonance imaging in, 305-306

Synovitis

    ankle

        arthroscopy for, 274, 511

        magnetic resonance imaging in, 300-302

    in Reiter's syndrome, 156-157

    pigmented villonodular, **527-540**

## T

Tacrolimus, topical, for dermatitis, 65-67

Talar tilt test

    in ankle disorders, 256-257

    in lateral ankle sprains, 208

Talocalcaneal angle, in subtalar instability, 218-220

**Talocalcaneal ligament**

fibular (lateral), anatomy of, 216-217

oblique, anatomy of, 216-217

posterior, anatomy of, 216-217

Talocrural joint, mobilization of, 325-326

**Talofibular ligament**

**anterior**

anatomy of, 206, 310

magnetic resonance imaging of, 286-287

physical examination of, 255-256

repair of, 210, 213-215

rupture of. *See* Sprains, lateral ankle.

thickening of, arthroscopy for, 275

**posterior**

anatomy of, 206, 310

magnetic resonance imaging of, 286-287

repair of, 210, 213-215

rupture of. *See* Sprains, lateral ankle.

Talonavicular joint, arthrodesis of, for posterior tibial tendon dysfunction, 367, 380-381

**Talus**

dislocation of, 225

osteochondral lesions of, magnetic resonance imaging in, 290-291

Tarsal canal, ligament of, anatomy of, 216-217

**Tarsal tunnel syndrome**

magnetic resonance imaging in, 302-304

physical examination in, 265-266

**Tendinitis**

Achilles, rupture and, 235-237

flexor hallucis tendon, impingement with, 264

peroneal, physical examination in, 257

Tendinosis, flexor hallucis tendon, physical examination in, 266-267

**Tendon(s)**

ankle. *See* Ankle tendons.

burns affecting, 119

Tendon degeneration theory, of Achilles tendon rupture, 232-233

**Tendon sheaths**

giant cell tumors of, magnetic resonance imaging in, 301-302

ultrasonography of, 450, 452

Tendon transfer, for Achilles tendon repair, 240

**Tendonitis**

peroneal, 422-424

ultrasonography of, 450-451

**Tenodesis**

- in lateral ankle sprains, 213
- in subtalar instability, 219, 222-223

**Tenography, in peroneal tendon injury, 422****Tenolysis, for flexor digitorum longus tendon dysfunction, 415-417****Tenosynovectomy**

- for peroneal tendonitis, 423-424
- for posterior tibial tendon dysfunction, 378

**Tenosynovitis**

- flexor hallucis tendon, stenosing, physical examination in, 266-267
- peroneal, 422-424

**Tetracaine, properties of, 132****Theophylline, for COPD, 9****Thermal capsular shrinkage, in ankle arthroscopy, 279-280****Thompson test, for Achilles tendon rupture, 235, 262****Thromboembolic disease, venous, 15-19****Thrombolytic therapy, for thromboembolic disease, 18-19****Tibia, fracture of, physical examination in, 264-265****Tibial nerve, posterior, block of, 143****Tibial tendon****anterior****injuries of, 433-440**

- anatomic considerations in, 434-435
- clinical presentation of, 435-436
- pathomechanics of, 433-434
- treatment of, 436-439

**injury of, magnetic resonance imaging in, 297****transfer of, for posterior tibial tendon dysfunction, 378, 381-385****ultrasonography of, 448-449****dysfunction of, physical examination in, 266****posterior****disorders of, magnetic resonance imaging in, 294-295****dysfunction of. *See* Posterior tibial tendon dysfunction.****ultrasonography of, 447****rupture of, physical examination in, 263-264****Tibiofibular ligament, anatomy of, 196****Tibiofibular syndesmosis, sprains of, 195-204****acute, treatment of, 200-202****anatomy of, 196-197****biomechanics of, 196-197****chronic, treatment of, 201, 203-204****classification of, 199**

- diagnosis of, 197-199
- incidence of, 195-196
- magnetic resonance imaging in, 287-288
- mechanisms of, 197
- treatment of, 200-204

Tinel's sign

- in flexor digitorum longus tendon dysfunction, 414
- in tarsal tunnel syndrome, 265

Tissue plasminogen activator, for thromboembolic disease, 18-19

"Too many toes sign," in posterior tibial tendon dysfunction, 352, 373, 376

Tophaceous gout, 152-153

Transplantation, kidney, 61-63

Tricyclic antidepressants, for depression, in diabetes mellitus, 496

Triple arthrodesis, for posterior tibial tendon dysfunction, 367, 381, 385

Tuberous sclerosis, kidney cysts in, 52

Tumor(s)

- giant cell, tendon sheath, magnetic resonance imaging in, 301-302
- soft-tissue, magnetic resonance imaging in, 305-306

Tuning fork test, in tarsal tunnel syndrome, 265

## U

UCBL (University of California Biomechanics Laboratory) device, for posterior tibial tendon dysfunction, 357

Ulcer(s)

- after burn reconstruction, 121
- diabetic. *See* Diabetes mellitus, ulcers in.
- in Behçet's disease, 520

Ulcerative colitis, 32

Ultrasonography

- Doppler, in thromboembolic disease, 17
- in kidney disease, 47-48
- in pigmented villonodular synovitis, 530
- of ankle tendons, **441-456**
  - abnormal anatomy in, 450-452
  - advantages of, 441-442
  - anterior, 448-449
  - basic concepts of, 442-443
  - disadvantages of, 441-442
  - history of, 441
  - in peroneal tendon injury, 422
  - in posterior tibial tendon dysfunction, 374-375

- indications for, 443
- lateral, 449-450
- medial, 447-448
- normal, 444-445
- posterior, 446-447
- techniques for, 443-444
- uses of, 452-454
- versus surgical findings, 453

University of California Biomechanics Laboratory device, for posterior tibial tendon dysfunction, 357

Uric acid stones, kidney, 50

Urinalysis, for kidney disease screening, 47

Urolithiasis, 48-51

Uveitis, in Behçet's disease, 520

## V

---

### Vaccines

- for hepatitis B, 35-36
- for kidney transplant patient, 53

Varus heel wedge, in tarsal tunnel syndrome evaluation, 265-266

Vascular complications, of diabetes mellitus, 101-102

Vasodilators, for hypertension, 46

Vasovagal reactions, 181-183

- in anesthesia, 166

Venous thromboembolic disease, 15-19

Ventilation/perfusion scan, for pulmonary embolism, 17-18

Viral hepatitis, 34-37

Volkmann's fracture, physical examination in, 264-265

Volkmann's ligament, rupture of, 223

Von Hippel Lindau disease, kidney cysts in, 52

## W

---

Warfarin, for thromboembolic disease, 19

Warts, imiquimod for, 68

Watson-Jones tenodesis, in lateral ankle sprains, 213

Weakness, in ankle soft-tissue disorders, evaluation of, 323

Weight-bearing examination, in posterior tibial tendon dysfunction, 353-354

Weintraub and Heilala classification, of posterior tibial tendon dysfunction, 347-351, 376-377

Winnie technique, for inguinal lumbar plexus block, 138

Wound treatments, 72-76

becaplermin gel for, 73-75

biologic skin substitutes for, 74-76

diabetic ulcers, 72-75

healing stages in, 73

## **X**

---

X-PODite Digital Radiograph Analyzer, evaluation of, 477-482

X-ray equipment, X-PODite Digital Radiograph Analyzer, 477-482

Xanthoma

Achilles tendon, 300

tendon, ultrasonography of, 453-454

## **Z**

---

Z plasty, for posterior tibial tendon dysfunction, 358-359



